

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	929	((408/127) or (408/239R)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:45
S3	348	(408/240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:46
S4	570	((279/16) or (279/145)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:46
S5	585	((279/17) or (279/18) or (279/62) or (279/143)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:46
S6	352	(81/438).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:46
S7	1030	B23B047/00.ipc.	EPO; JPO; DERWENT	OR	ON	2006/01/09 07:47
S10	300	((433/112) or (433/116)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:49
S12	672	(606/80).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:49
S13	1100	((606/79) or (606/96)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/09 07:50
S15	5	(("2807732") or ("4324512") or ("4389146") or ("4460296") or ("5011343")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/09 08:04
S16	189	Jacob near chuck	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 09:48
S17	15	S16 with (dimension or mm or cm or inch\$2 or size or diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 09:48

S18	3737	jaws near chuck	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 09:48
S19	403	S18 with (dimension or mm or cm or inch\$2 or size or diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:58
S20	201	S19 and (shroud or protect\$3 or guard or cover or sleeve)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:54
S21	3	Effrem.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:20
S22	38	("1056940" "1138926" "1575307" "1595388" "1815594" "1985586" "1995421" "2090174" "2305895" "2412705" "2477681" "2545282" "2683341" "2711199" "2747384" "3680877" "3702705" "4062412" "4083571").PN. OR ("4345445"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:52
S23	49	miniature near (drill or chuck)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:54
S24	20	S23 and (shroud or protect\$3 or guard or cover or sleeve)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:57
S25	4162789	shroud or protect\$3 or guard or cover or sleeve	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:57
S26	317100	S25 with (dimension or mm or cm or inch\$2 or size or diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:59
S27	5840	S26 and chuck	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:59
S28	2295	S27 and (flex\$4 or bend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 11:00

S29	83	S27 and ((flex\$4 or bend\$4) near shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/09 11:00
-----	----	---	---	----	----	------------------